



TOKEN ELECTRONICS IND. CO., LTD.

HONESTY PERFECTION SHARING

✓ **Coils Alarm and Clock**


✉ **Inquiry:** rfq@tokenonline.net

Taiwan: No. 137, Sec. 1, Chung Shin Rd., Wu Ku Hsiang, Taipei Hsien, Taiwan, R.O.C
TEL: 886-2-2981 0109; FAX: 886-2-2988 7487

China: 3F South, Zhongxing Industry Bld., Changye Rd., Nanshan District, Shenzhen, Guangdong
TEL: 86-755-2605 5363, 2605 5364; FAX: 86-755-2605 5365




ALARM&CLOCK COILS




DIMENSION WITH PVC OR UL (Unit: mm)

MODEL	A	B	L	R (Ω)	USE
2519T	2.5	1.9	0.5~6.5	5~200	COIL
3519T	3.5	1.9	0.5~10	5~280	COIL



DIMENSION WITH PVC OR UL (Unit: mm)

MODEL	A	B	L (MH)	R (Ω)	USE
3320T	3.3	2.0	0.5~15	5~120	COIL
3322T	3.3	2.2	1.0~30	2~90	COIL
4520T	4.5	2.0	1.0~60	2~120	COIL
4525T	4.5	2.5	1.0~45	2~260	COIL
4928T	4.9	2.8	2.0~160	5~380	COIL
4931T	4.9	3.1	2.0~200	5~400	COIL






TOKEN MEANS QUALITY AND SERVICE

DIMENSION WITH PVC OR UL (Unit: mm)

MODEL	A	B	L(mH)	R(Ω)	USE
2517	2.5	1.7	0.5~6.5	5~180	COIL
2519	2.5	1.9	0.5~6.5	5~200	COIL
3519	3.5	1.9	0.5~10	5~280	COIL
4019	4.0	1.9	0.5~15	5~320	COIL
4519	4.5	1.9	0.5~25	5~400	COIL



MODEL	A	B	L (MH)	R (Ω)	USE
3320	3.3	2.0	0.5~20	5~120	COIL
4520	4.5	2.0	0.5~50	5~260	COIL
4928	4.9	2.8	2.0~160	5~380	COIL
4931	4.9	3.1	2.0~200	5~400	COIL